ORIGINAL RESEARCH ARTICLE

Open Access

CrossMark

Supplemental oxygen users with pulmonary fibrosis perceive greater dyspnea than oxygen non-users

Mengshu Cao¹, Frederick S. Wamboldt², Kevin K. Brown³, Jonathon Hickman⁴, Amy L. Olson³, Joshua J. Solomon³ and Jeffrey J. Swigris^{3*}

Abstract

Background: Exertional dyspnea is a hallmark symptom of fibrosing interstitial lung disease (flLD), and oxygen (O_2) desaturation is common among patients with flLD. Supplemental O_2 is prescribed to maintain normoxia and alleviate dyspnea. We sought to better understand the associations between O_2 and dyspnea in flLD during the 6-min walk test (6MWT).

Methods: 1326 flLD patients compose the sample group. Borg dyspnea and other 6MWT variables were compared between subjects who performed the test without (non-users) versus with O_2 (users).

Results: There were 812 users and 514 non-users; users were older, more likely to have smoked, had greater body mass index, and had more severe flLD. Despite a similar 6-min SpO₂, users perceived greater dyspnea than non-users (Borg 3.9 ± 2.0 vs 2.9 ± 1.7 , p < 0.0001). Whether subjects became hypoxemic (6-min SpO₂ < 89 %) or not during the walk, the results were the same: users perceived greater dyspnea than non-users (hypoxemic: users 3.5 ± 2.1 vs non-users 2.7 ± 1.8 , p < 0.0001; non-hypoxemic: users 3.4 ± 1.9 vs non-users 2.4 ± 1.6 , p < 0.0001). Among subjects who did not desaturate (SpO₂ drop < 4 %), users walked a shorter distance (944.9 ± 367.0 vs 1385.3 ± 322.4 feet, p < 0.0001) but perceived greater dyspnea than non-users (3.3 ± 1.6 vs 2.3 ± 1.7 , p = 0.005). No combination of potentially influential predictor variables entered in multivariate models explained more than 11 % of the variance in dyspnea ratings.

Conclusion: Dyspnea is a complex perception, and in patients with flLD, O_2 may lessen, but does not resolve, it. Further research is needed to clarify why flLD patients who use O_2 perceive greater levels of dyspnea with activity than O_2 non-users.

Keywords: Interstitial lung disease, Pulmonary fibrosis, Dyspnea, Supplemental oxygen, 6-min walk test

Background

The interstitial lung diseases (ILD) comprise several diffuse parenchymal lung diseases whose causes are unknown or include exposures (e.g., dust, drug, aerosolized organic antigen) or underlying connective tissue disease (CTD). Regardless of cause, fibrotic ILD (fILD) is typically progressive and incurable. Exertional dyspnea, the hallmark symptom of fILD, impairs physical functioning and quality of life (QOL) and is often associated with peripheral oxygen desaturation (SpO $_2$).

The six-minute walk test (6MWT) is commonly used as a measure of submaximal exercise capacity in patients with fILD. Along with distance walked (6MWD), SpO₂, heart rate and dyspnea ratings are often collected as part of the 6MWT and used to assess disease status. Dyspnea—the perception of "breathing discomfort"—is due to a number of complex physical, psychological, social, environmental and interwoven physiological factors [1]. In fILD, dyspnea is due to reduced lung compliance, inability to expand tidal volume in response to respiratory drive, as well as the elevated work and oxygen cost



© 2016 Cao et al. **Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated.

^{*} Correspondence: swigrisj@njc.org

³Interstitial Lung Disease Program, Department of Medicine, National Jewish Health, 1400 Jackson Street, Denver 80206, Colorado, USA

Full list of author information is available at the end of the article

of breathing [2]. Although dyspnea is a personalized perception, it is experienced and described similarly among patients with the same respiratory disease. For example, during symptom-limited incremental cycle exercise tests, 'unsatisfied inspiratory effort' and 'rapid breathing' are used to describe dyspnea by patients with fILD—but not by healthy controls [3]. Investigators have observed that although patients with fILD desaturated to a greater degree than patients with chronic obstructive pulmonary disease (COPD), patients with COPD perceived greater dyspnea. In that study, SpO₂ was an independent predictor of dyspnea severity in patients with fILD but not in those with COPD. Among patients with fILD, SpO₂ explained only a quarter of the variance in dyspnea ratings [4].

Although supplemental oxygen (O_2) is commonly prescribed to patients with fILD to maintain normoxia, in hopes of relieving dyspnea (and by extension, improving physical functioning and QOL), few studies have aimed to decipher the beneficial effects of O2 in these patients [5, 6]. Through this study, we sought to examine how dyspnea ratings from patients who use O_2 compare with those from patients who do not use O_2 .

Methods

Study subjects

The study group was composed of 1326 patients with fILD evaluated at National Jewish Health (NJH) from January 1, 2008 to December 30, 2014. We formed the cohort by querying the NJH research database for patients with fILD who completed at least one 6MWT. Patients with underlying connective tissue disease (CTD) were excluded; thus, the overwhelming majority of subjects had idiopathic pulmonary fibrosis (IPF), idiopathic nonspecific interstitial pneumonia (iNSIP) or chronic hypersensitivity pneumonia (cHP), with diagnoses made in accordance with accepted criteria [7–10]. The study was approved by the NJH Institutional Review Board (IRB; study #2868) which waived the requirement for written, informed consent.

6MWT

The 6MWT was conducted similarly in all patients (whether users or non-users), by trained technicians at NJH, according to published guidelines with slight modification [11]. Per standard operating procedure at NJH, the 6MWT is terminated if SpO₂ drops below 80 %. To maintain reliability in the 6MWT outcome of most interest (distance), we tried to hold constant as many other variables as possible. Thus, a patient performed all 6MWT on the same O_2 l flow, unless or until he was unable to walk for a full six minutes without SpO₂ falling below 80 %. We included in our analyses data only from patients who walked for a full six minutes. For

patients who completed multiple 6MWT, we selected the first test. Ratings for dyspnea and exertion were assessed immediately after completion of the test by the technician and using the CR10 Borg scale (range 0–10, with higher scores connoting greater dyspnea or exertion as appropriate) [12]. The minimal clinically important difference for the Borg scale is reported to be one point [13].

Statistical analysis

Summary statistics were generated for baseline data with the sample stratified on whether O_2 was used (users) or not (non-users) during the 6MWT. Student's *t*-tests were used for between-groups comparisons of continuous variables. Cochran-Mantel-Haenszel, Chi square or Fisher's exact tests were used as appropriate for between-groups comparisons of categorical variables. We used Pearson correlation coefficients to express associations between dyspnea ratings and other variables. We used linear regression to examine associations between dyspnea ratings and other variables while controlling for potentially influential predictors. We considered p < 0.05 to represent statistical significance. Analyses were performed using SAS version 9.3 statistical software (SAS, Inc.; Cary, NC).

Results

The study group comprised 812 users and 514 nonusers. On average, users were older, had greater impairments in pulmonary physiology and had shorter 6MWD than non-users. Despite a similar SpO₂ at six minutes (88.1 % vs. 88.7 %), users perceived significantly greater dyspnea than non-users (Table 1).

In both users and non-users, dyspnea was correlated with certain other variables; however, all correlations were weak (Table 2). In both subgroups, dyspnea was inversely correlated with 6MWD. Among the 791 subjects whose SpO₂ fell below 89 %, there were nearly twice as many users as non-users (Table 3). Although the SpO₂ at six minutes was similar (85.3 % vs. 86.0 %), dyspnea ratings among users were significantly higher than in non-users. The same was true for subjects whose SpO₂ remained 89 % or greater for the duration of the 6MWT: despite identical mean SpO₂ values at six minutes (91.4 % vs. 91.4 %), dyspnea ratings were significantly higher among users than in non-users (Table 4).

Results were similar for the 883 subjects (572 users and 311 non-users) with a history of smoking: the SpO₂ values at six minutes were similar (87.9 % vs. 88.4 %), and dyspnea ratings were higher among users than in non-users (3.8 ± 2.0 vs. 2.9 ± 1.7 , p < 0.0001). For the 473 subjects (303 users and 170 non-users) with IPF, the SpO₂ values at six minutes were the same (86.7 % vs. 86.9 %), and dyspnea ratings were higher among users than in non-users (3.8 ± 2.1 vs. 2.9 ± 1.6 , p < 0.0001). Among the 118 subjects whose SpO₂ never dropped by more than three

	O2 (N = 812)	No O2 (N = 514)	P-
Age (years)	68.3 ± 10.5	66.6±11.0	0.004
Female (%)	327 (40.3)	211 (41.1)	0.78
Smoking*	4 (0.6 %)	3 (0.6 %)	0.003
Present	471 (65.9 %)	277 (57.4 %)	
Past	240 (33.6 %)	203 (42.0 %)	
Never			
BMI	30.3 ± 6.9	28.5 ± 5.5	<0.0001
IPF diagnosis (%)	303 (37.3)	170 (33.1)	0.12
FVC% within 30 days**	61.3 ± 18.9	77.5 ± 17.4	<0.0001
DLCO% within 30 days***	37.5 ± 12.8	56.1 ± 16.5	<0.0001
6MWD (feet)	1070.6 ± 361.4	1421.4 ± 343.7	< 0.0001
Borg Dyspnea	3.9 ± 2.0	2.9 ± 1.7	<0.0001
Borg Exertion****	3.2 ± 2.1	2.4 ± 1.8	<0.0001
HR baseline	79.7 ± 13.9	78.1 ± 13.2	0.03
HR at 6 min	109.7 ± 15.9	110.9 ± 15.8	0.18
HR rise	30.0 ± 14.5	32.8±13.7	0.0004
SpO2 baseline	97.4 ± 1.9	95.2 ± 1.7	<0.0001
SpO2 at 6 min	88.1 ± 5.3	88.7 ± 5.4	0.04
SpO2 drop	9.2 ± 5.5	6.4 ± 5.2	<0.0001

Table 1
Baseline characteristics for O2 users and O2 non-users

with flLDs
Image: State of the state of the

Values are mean and standard deviation or count (percent); *IPF* idiopathic pulmonary fibrosis; *BMI* body mass index; *FVC*% percent predicted forced vital capacity; *DLCO*% percent predicted diffusing capacity of the lung for carbon monoxide; *6MWD* distance walked during six-minute walk test (6MWT); *SpO2* peripheral oxygen saturation; *HR* heart rate; *O2* completed 6MWT using supplemental oxygen; *No O2* completed 6MWT without using supplemental oxygen; *N* = 715 for O2 users and 483 for non-users; ***N = 446 for O2 users and 251 for non-users; ***N = 672 for O2 users and 415 for non-users

points from baseline (rest), although minute-six SpO_2 was higher in users than in non-users, dyspnea ratings among users were significantly higher than in non-users (Table 5).

Results from the linear regression analysis are presented in Table 6. While controlling for various combinations of predictors, O_2 use remained a significant predictor of dyspnea rating. As revealed by the R-squared values, none of the combinations of variables explained more than minimal variance in dyspnea ratings.

Discussion

We examined patients with fILD and found that those who used O_2 during a 6MWT consistently experienced more severe dyspnea than those who did not use O_2 . Data on the effects of O_2 in patients with fILD are surprisingly limited, and much of the information on the potential benefits of O_2 that is used in clinical decisionmaking with fILD patients, is based solely on scientific rationale or borrowed from the COPD literature. In two Letters to the Editor, investigators described the results of retrospective studies in which they examined

	O2 (N = 812)	No O2 (N = 514)
6MWD	-0.28	-016
	<0.0001	0.0003
BMI	0.15	0.14
	<0.0001	0.002
HR baseline	0.07	0.03
	0.04	0.53
HR at 6 min	0.08	0.16
	0.02	0.0003
HR rise	0.02	0.15
	0.49	0.0003
SpO2 baseline	0.03	-0.14
	0.47	0.002
SpO2 at 6 min	-0.19	-0.21
	<0.0001	<0.0001
SpO2 drop	-0.19	-0.17
	<0.0001	< 0.0001

Table 2 Correlation between dyspnea rating and other

variables for O2 users and O2 non-users

Values are correlation coefficient (top) and p value (bottom); *BMI* body mass index; *6MWD* distance walked during six-minute walk test (6MWT); *HR* heart rate; *SpO2* peripheral oxygen saturation; *O2* completed 6MWT using supplemental oxygen; *6MWD* distance walked during six-minute walk test (6MWT); *O2* completed 6MWT using supplemental oxygen; No *O2* completed 6MWT without using supplemental oxygen

the within-subject beneficial effects of O_2 on various outcome measures collected around 6MWTs [5, 6]. In one study, investigators observed that, in 52 patients with fILD, during a second 6MWT for which O_2 was administered according to a semi-quantitative algorithm aimed at maintaining SpO₂ at (closer-to) acceptable levels, distance walked, nadir SpO₂ and Borg

Table 3 Dyspnea and other results for O2 users and O2 non-users among subjects whose nadir SpO2 was < 89 %

	5 ,		
	O2 (N = 439)	No O2 (<i>N</i> = 252)	Р
6MWD (feet)	1051 ± 382.7	1415.1 ± 370.5	< 0.0001
BMI	30.2 ± 6.8	28.8 ± 5.2	0.003
Borg Dyspnea	4.3 ± 2.0	3.4 ± 1.7	< 0.0001
Borg Exertion*	3.5 ± 2.1	2.7 ± 1.8	< 0.0001
HR baseline	80.4 ± 13.7	78.2 ± 13.3	0.04
HR at 6 min	112.3 ± 16.0	112.9 ± 16.2	0.62
HR rise	31.9 ± 14.8	34.7 ± 15.3	0.02
SpO2 baseline	97.2 ± 2.0	94.6 ± 1.7	< 0.0001
SpO2 at 6 min	85.3 ± 3.5	86.0 ± 3.2	0.02
SpO2 drop	11.8 ± 4.1	8.6 ± 3.3	< 0.0001

Values are mean and standard deviation; *6MWD* distance walked during six-minute walk test (6MWT), *O2* completed 6MWT using supplemental oxygen, *No O2* completed 6MWT without using supplemental oxygen, *SpO2* peripheral oxygen saturation; *N = 355 for O2 users and 204 for non-users

Table 4 Dyspnea and other results for O2 users and O non-users among subjects whose nadir SpO2 was 89 % or greater (nadir SpO2 \ge 89 %)

· · · · · · · · · · · · · · · · · · ·			
	O2 (N = 373)	No O2 (N = 262)	Р
6MWD	1092.4 ± 333.8	1427.4 ± 316.4	< 0.0001
BMI	30.4 ± 6.9	28.2 ± 5.8	< 0.0001
Borg Dyspnea	3.4 ± 1.9	2.4 ± 1.6	< 0.0001
Borg Exertion*	2.9 ± 2.1	2.2 ± 1.7	< 0.0001
HR baseline	79.0 ± 14.0	78.0 ± 13.0	0.37
HR at 6 min	106.7 ± 15.3	109.0 ± 15.1	0.06
HR rise	27.7 ± 13.7	31.0 ± 11.8	0.001
SpO2 baseline	97.6 ± 1.7	95.7 ± 1.6	<0.0001
SpO2 at 6 min	91.4 ± 5.2	91.4 ± 5.7	0.97
SpO2 drop	6.5 ± 2.4	4.6 ± 1.9	< 0.0001

Values are mean and standard deviation; *6MWD* distance walked during six-minute walk test (6MWT), *O2* completed 6MWT using supplemental oxygen, *No O2* completed 6MWT without using supplemental oxygen, *HR* heart rate, *SpO2* peripheral oxygen saturation; *N = 317 for O2 users and 211 for non-users

score improved (by one point) over values obtained during a baseline 6MWT. The results were similar for the subgroup of subjects with either idiopathic pulmonary fibrosis (IPF) or NSIP, in whom O_2 administration resulted in improved dyspnea (median Borg scores dropped from 4.25 to 3.25) and in the nadir SpO₂ increasing from 75 to 83 %. In the other study of 70 subjects (all with IPF), Frank and her colleagues found that, compared to a baseline 6MWT performed on ambient air or with inadequate O_2 flow, administering O_2 led to increased distance walked and improved nadir SpO₂, but dyspnea did not change (mean Borg score 4.8 ± 2.1 vs. 4.5 ± 2.2) [5].

Dyspnea is a complex perception that depends on the integration of multiple inputs from several sources. Blood oxygen level is but one of those sources, and the weak

Table 5 Dyspnea and other results for O2 users and O2 non-users among subjects whose SpO2 fell by <4 % during the walk

5,	,	5	
	O2 (N = 36)	No O2 (N = 82)	Р
6MWD (feet)	944.9 ± 367.0	1385.3 ± 322.4	< 0.0001
BMI	31.6±6.8	27.6 ± 5.3	0.001
Borg Dyspnea	3.3 ± 1.6	2.3 ± 1.7	0.005
Borg Exertion*	2.7 ± 2.0	2.2 ± 1.7	0.20
HR baseline	81.3 ± 15.3	79.9 ± 14.7	0.64
HR at 6 min	99.6 ± 11.7	107.6 ± 15.6	0.007
HR rise	18.2 ± 16.1	27.6 ± 10.5	0.002
SpO2 baseline	96.6 ± 2.5	95.2 ± 1.9	0.0009
SpO2 at 6 min	95.2 ± 2.3	93.4 ± 2.1	< 0.0001
SpO2 drop	1.1 ± 3.1	1.8 ± 1.0	0.18

Values are mean and standard deviation; *6MWD* distance walked during six-minute walk test (6MWT), *O2* completed 6MWT using supplemental oxygen, *No O2* completed 6MWT without using supplemental oxygen, *HR* heart rate, *SpO2* peripheral oxygen saturation; *N = 30 for O2 users and 67 for non-users

correlation we observed between dyspnea rating and minute-six SpO_2 affirms it is far from the main contributor. Other contributors include neural inputs arising from receptors in the airways and lung parenchyma, peripheral locomotor and respiratory muscles, and central and peripheral chemoreceptors, along with corollary neuronal discharge arising from the brainstem and cortical motor centers [14].

In our study, patients who used O_2 consistently started with a higher SpO₂ than non-users, and although SpO₂ declined to a greater degree during the walk in users than non-users (9 % vs. 6 %), minute-six SpO₂ was the same in both groups (88 %). Perhaps has dyspnea more to do with SpO₂ decline from baseline than the absolute SpO₂ at the time of dyspnea rating? Our results suggest this is not the case: the correlation between dyspnea and SpO₂ decline was the same (weak) as the correlation between dyspnea and minute-six SpO₂. However, in the subgroup of patients who did not desaturate at all during the walk (SpO₂ decline < 4 points), despite O₂ users having a higher minute-six SpO₂ than non-users (95 % vs. 93 %), O₂ users perceived greater dyspnea (mean Borg scores 3.4 vs. 2.4).

In our statistical models controlling for either minutesix (data not shown) or decline-from-baseline in SpO_2 (i.e., SpO_2 drop), each of these SpO_2 measures was a significant predictor of dyspnea, and in each model, O_2 use remained an independent predictor of dyspnea. However, each model explained minimal variance in dyspnea scores—again, confirming that dyspnea relies on more inputs than simply blood oxygen.

We suspect users in our study perceived greater dyspnea intensity than non-users because of a complex interaction of elements, including those related to conduct of the 6MWT and perhaps certain neurophysiological factors. At our center, in an attempt to maintain reliability in the 6MWT outcome of most interest (distance), we try to hold constant as many other variables as possible. Thus, a patient performs all 6MWT on the same O₂ l flow, unless or until he is unable to walk for a full six minutes (in which case flow is reset for subsequent 6MWTs). Because of this practice, on certain occasions, patients at our center may perform their 6MWT on O_2 l flows below what they use with exertion at home. In our study, this "intentional under-dosing" of O2 flow-to maintain reliability-could have driven dyspnea ratings up in O₂ users. Unfortunately, with this data set, we are unable to determine when this underdosing might have occurred. Regardless, this "intentional under-dosing" explanation would seem not to apply to subjects whose O2 was dosed adequately enough to maintain an acceptable SpO₂ throughout the test, including the over 600-patient subgroup whose SpO₂ remained above 88 %, or the greater than 100-patient subgroup

Table 6 Linear regression models showing association between dyspnea ratings and other variables

	Model 1	Model 2	Model 3	Model 4	Model 5
Intercept	2.50 ± 0.10	3.31 ± 0.26	3.24 ± 0.27	5.37 ± 0.31	1.96 ± 0.36
	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Used O2	0.77 ± 0.11	0.66 ± 0.12	0.68 ± 0.12	0.42 ± 0.13	0.54 ± 0.12
	<0.0001	<0.0001	<0.0001	0.001	<0.0001
BMI					0.05 ± 0.01
					<0.0001
SpO2 drop	0.07 ± 0.01	0.06 ± 0.01	0.06 ± 0.01		0.06 ± 0.01
	<0.0001	<0.0001	<0.0001		<0.0001
FVC%		-0.01 ± 0.003	-0.01 ± 0.003	-0.01 ± 0.0002	-0.01 ± 0.002
		0.001	0.001	0.008	<0.0001
6MWD				-0.001 ± 0.002	
				<0.0001	
HR rise			0.003 ± 0.004		
			0.43		
R-square	0.09	0.09	0.09	0.11	0.11

Values are coefficients and standard error (top) and p value (bottom); 6MWD distance walked during six-minute walk test (6MWT), O2 completed 6MWT using supplemental oxygen, No O2 completed 6MWT without using supplemental oxygen, HR heart rate, SpO2 peripheral oxygen saturation

whose saturations did not decline at all. In both these subgroups, O_2 users rated their dyspnea as more intense than non-users.

Also at our center, patients who use O_2 at home either carry or pull their O_2 delivery device while completing their 6MWT. Having to move this excess weight over distance—or altered chest wall mechanics resulting from carrying or pulling the device—could add to dyspnea. To our knowledge, this has yet to be examined, but we believe it deserves investigation. If carrying or pulling the delivery device is found to add significantly to dyspnea intensity, this could be a target for therapeutic intervention.

Another alternative explanation is that dyspnea truly depends greatly on arterial oxygen but SpO_2 was an especially inaccurate reflection of it in this cohort; we doubt this was the case, but if it were, we would expect the inaccuracies to affect both users and non-users equally. We excluded patients with underlying CTD in the hopes of limiting the influence of vascular abnormalities like Raynaud's or pulmonary hypertension.

Various physical factors unrelated to the lungs, SpO_2 or other aspects of oxygen delivery also must be considered as potential explanations for our results. While exerting (and into recovery), subnormal lung compliance in patients with ILD induces rapid-shallow breathing. The physical sensation—and mental/emotional impact—of this breathing pattern, which occurs to some degree when patients with ILD exert to any degree, is expected to influence dyspnea ratings. How subjects internally considered, weighed and integrated each component (physical or mental/emotional) as they made their ratings for "breathlessness" is unknown. Compared with nonusers, O2 users had lower FVC% and, by deduction, lower lung compliance than non-users-a factor expected to hasten and heighten rapid-shallow breathing. We do not measure respiratory rate during the 6MWT at our center, so we are unable to determine whether O₂ users had higher respiratory rates than non-users. Additional studies aimed at discerning whether or how much respiratory rate (and other physical or emotional components) contributes to exertional dyspnea ratings are needed. Although we are unable to comment on directly-observed respiratory rate, FVC% as a marker of lung compliance could be considered a reasonable surrogate for respiratory rate. In statistical models that included O_2 use, and controlled for FVC%, O₂ use remained a significant predictor of dyspnea. In a comprehensive appraisal of dyspnea in patients with chronic interstitial lung disease, Faisal and colleagues observed that dyspnea intensity during exertion climbed as inspiratory neural drive increased and tidal volume became constrained (thus blunting the mechanical respiratory response during exercise) [15].

Another consideration is whether the greater disease severity in O_2 users might have contributed to physical inactivity and deconditioning. Given the practical challenges of using O_2 and the possibility that it prohibits patients from living a more active, carefree lifestyle, we suspect that, on average, fILD patients who require O_2 are less physically active (and thus less well-conditioned) than patients who do not require O_2 . De-conditioned skeletal muscles are less efficient and fatigue-resistant than conditioned muscles, and peripheral locomotor [14] muscle fatigue contributes to dyspnea. Compared with non-users, O_2 users walked shorter distances during the 6MWT; this was true even for the subgroup that did not desaturate to < 89 %. Whether the shorter distance walked was due to deconditioning or some other factor(s) is unknown; however, deconditioning could well explain the interesting and perhaps somewhat paradoxical finding that dyspnea severity was inversely correlated with 6MWD: subjects who walked further, were better conditioned and thus perceived less dyspnea.

Conclusion

Dyspnea is a complex perception that impacts the lives of patients with fILD. It is important for a patient with fILD to know what to expect when being prescribed O_2 : it will likely decrease dyspnea (compared with not using O_2), but because dyspnea is driven by so many inputs (with SpO₂ being just one), O_2 will not resolve dyspnea. Further research is needed to better understand the mechanisms driving dyspnea in patients with fILD and to devise strategies to lessen it.

Abbreviations

6MWT: six-minute walk test; 6MWD: distance walked during a six-minute walk test; cHP: chronic hypersensitivity pneumonia; COPD: chronic obstructive pulmonary disease; CTD: connective tissue disease; flLD: fibrosing interstitial lung disease; FVC%: percent predicted forced vital capacity; ILD: interstitial lung disease; iNSIP: idiopathic nonspecific interstitial pneumonia; IPF: idiopathic pulmonary fibrosis; IRB: institutional review board; O2: supplemental oxygen; QOL: quality of life; SpO2: peripheral oxygen saturation.

Competing interests

None of the authors has any competing interests to declare in relation to the contents of this manuscript.

Authors' contributions

Study conceptualization: FSW, KKB, AO, JS, JJSw Data collection: CM, JJSw Data analysis: CM, JJSw Results interpretation: CM, FSW, KKB, AO, JS, JJSw Manuscript preparation: CM, FSW, KKB, AO, JS, JJSw.

Acknowledgements

We are thankful to Charles G. Irvin, PhD of the Divisions of Pulmonary Disease and Critical Care Medicine and of Molecular Physiology and Biophysics at the University of Vermont for reading and offering his thoughts on a prior version of this manuscript.

Author details

¹Department of Respiratory Medicine, Nanjing Drum Tower Hospital, the affiliated Nanjing University Medical School, 321 Zhongshan Road, Nanjing, Jiangsu 210008, China. ²Division of Pulmonary, Critical Care, Sleep and Behavioral Medicine, Department of Medicine, National Jewish Health, Denver, Colorado, USA. ³Interstitial Lung Disease Program, Department of Medicine, National Jewish Health, 1400 Jackson Street, Denver 80206, Colorado, USA. ⁴Department of Internal Medicine, Saint Joseph Hospital, 1375 E 19th Ave, Denver 80218, Colorado, USA.

Received: 1 October 2015 Accepted: 19 November 2015 Published online: 30 November 2015

References

 Dyspnea. Mechanisms, assessment, and management: a consensus statement. American Thoracic Society. Am J Respir Crit Care Med. 1999;159(1):321–40

- Laveneziana P. Qualitative aspects of exertional dyspnea in patients with restrictive lung disease. Multidiscip Resp Med. 2010;5(3):211–5.
- O'Donnell DE, Chau LK, Webb KA. Qualitative aspects of exertional dyspnea in patients with interstitial lung disease. J Appl Physiol. 1998;84(6):2000–9.
- Nishiyama O, Taniguchi H, Kondoh Y, Kimura T, Kato K, Ogawa T, et al. Dyspnoea at 6-min walk test in idiopathic pulmonary fibrosis: comparison with COPD. Respir Med. 2007;101(4):833–8.
- Frank RC, Hicks S, Duck AM, Spencer L, Leonard CT, Barnett E. Ambulatory oxygen in idiopathic pulmonary fibrosis: of what benefit? Eur Respir J. 2012;40(1):269–70.
- Visca D, Montgomery A, de Lauretis A, Sestini P, Soteriou H, Maher TM, et al. Ambulatory oxygen in interstitial lung disease. Eur Respir J. 2011;38(4):987–90.
- American Thoracic Society. Idiopathic pulmonary fibrosis: diagnosis and treatment. International consensus statement. American Thoracic Society (ATS), and the European Respiratory Society (ERS). Am J Respir Crit Care Med. 2000;161(2 Pt 1):646–64.
- Joint Statement of the American Thoracic Society and European Respiratory Society. American Thoracic Society/European Respiratory Society international multidisciplinary consensus classification of the idiopathic interstitial pneumonias. Am J Respir Crit Care Med. 2002;165:277–304.
- Raghu G, Collard H, Egan J, Martinez F, Behr J, Brown K, et al. An official ATS/ERS/JRS/ALAT statement: idiopathic pulmonary fibrosis: evidence-based guidelines for diagnosis and management. Am J Respir Crit Care Med. 2011;183(6):788–824.
- Travis WD, Costabel U, Hansell DM, King Jr TE, Lynch DA, Nicholson AG, et al. An official American Thoracic Society/European Respiratory Society statement: Update of the international multidisciplinary classification of the idiopathic interstitial pneumonias. Am J Respir Crit Care Med. 2013;188(6):733–48.
- ATS statement. Guidelines for the six-minute walk test. Am J Respir Crit Care Med. 2002;166:111–7.
- 12. Borg G. Borg's perceived exertion and pain scales. Champaign: Human Kinetics; 1998.
- Ries AL. Minimally clinically important difference for the UCSD Shortness of Breath Questionnaire, Borg Scale, and Visual Analog Scale. COPD. 2005;2(1):105–10.
- 14. Mahler DA, O'Donnell DE. Recent advances in dyspnea. Chest. 2015;147(1):232–41.
- Faisal A, Alghamdi BJ, Ciavaglia CE, Elbehairy AF, Webb KA, Ora J, et al. Common Mechanisms of Dyspnea in Chronic Interstitial and Obstructive Lung Disorders. Am J Respir Crit Care Med. 2015, 10.1164/rccm.201504-0841OC.

Submit your next manuscript to BioMed Central and we will help you at every step:

- · We accept pre-submission inquiries
- Our selector tool helps you to find the most relevant journal
- We provide round the clock customer support
- Convenient online submission
- Thorough peer review
- Inclusion in PubMed and all major indexing services
- Maximum visibility for your research

